




03 trig  
price list

Effective January 1, 2026




trig



Our Trig series was created from a consistent need for flexibility within a workspace. Whether it's a private office, training area, classroom or multi-purpose space, Trig will satisfy your height adjustability, flip-top nesting and mobility requirements. Trig even offers a rechargeable battery-height nesting table with a 15° tilt-lock 'drafting' angle setting.

## Trig Base Styles



## Trig Options

Standard Glides



3" Soft Locking Casters



**SLC.3** **3" Soft Locking Casters** can be added to any table for \$147 per set of four.

**FD** **Folding Bases** are not available on Trig tables.

**GF** **G-Flip Nesting Tables** are priced accordingly with 3" locking casters.

**GT** **G-Flip 15° Tilt Lock** "drafting angle" option available on G-Flip tables (no upcharge).

**FT** **Flip Tops** are not available on Trig tables.

**WM** **Wire Management** (built-in) is not available on Trig tables.

**MMLC** **Magnetic Wire Management Leg Covers** Magnetically attaches onto any square leg and are \$71 each.

**OS** **Offset T-bases** are not available on Trig tables.

**SH** **Special Height** can be added to any table: + \$72 per column for heights > 29" + \$39 per column for heights < 29" Special height tables with tops larger than 36x72" must be custom quoted.

**FR** **Footring** is not available on Trig tables.

**CH** **Chrome Finish** is not available on Trig tables.

## Trig Height Adjustable Options

### BL Pneumatic

is available on X-bases.  
Available height  
adjustable finishes can be  
found on page 9.

Two-leg pneumatic units  
are only available in three  
finishes:

- 30 Pearl
- 37 Satin Silver
- 57 Jet

### BEH Battery Electric Height

is available on T-bases  
and is available in two  
finishes:

- 37 Satin Silver
- 57 Jet

## Trig Top Shapes



Rectangle  
p. 73-75



Square  
p.75



Round  
p.75

## Trig Top Options

**QG** **Quick-Connect Ganging Brackets** can be added to any table for \$45 (includes 4 connectors per table).


**RC** **3" Radius Corners** can be added to any table for \$61.

**GR** **Grommets** can be added to any table for \$45 each. To see specific locations, see page 233.

**PS** **Acrylic Pencil Stop** can be added to any GT "tilt lock" Trig table for \$75 each.

## Trig Edge Options

(corresponds with 3 columns of pricing)



## Battery Electric Height Adjustability


Battery electric height adjustability gives you the ability to adjust tables via Bluetooth™ or memory touchpad. The standard memory keypad will remember your four favorite heights. Available on Trig T-bases, this option works great in private offices or even in conference rooms.

### To specify:

All available battery models are priced in the following pages. They are denoted by the "BEH" at the end of the model number.

### Example:

03TC2060T18BEH-3P  
20x60" **battery electric height** table  
**\$3,073** List Price



## Pneumatic Height Adjustability


Pneumatic tables go from seated-to-standing height. Available on tables using single X-bases, these tables are easy to adjust. Simply squeeze the small handle underneath and gently move the top to your desired height. It's that easy.

Want to use Trig on the go? Just add 3" to each vertical measurement to account for the added height of locking casters.

### To specify:

All available pneumatic models are priced in the following pages. They are denoted by the "BL" at the end of the model number.

**Example:**  
03RD36X32BL-3P  
36" round **pneumatic** table  
**\$1,469** List Price




## G-Flip Nesting

G-Flip tables allow for compact nesting and minimizes storage space to only 4 1/8" per table. Latch can be accessed from either end of the top for a quick flip-and-roll. Its design allows plenty of room for electrical components.

### To specify:

All available G-Flip models are priced in the following pages. They are denoted by the "GF" at the end of the model number.



For Trig series table options, please reference pages 70-71.

Top Size	Base	Model Number	3P	3K	3W	Rectangular with T-bases
20 x 48	Static	03TC2048T18	\$ 858	\$ 957	\$ 1,046	 
	G-Flip Nesting	03TC2048T18GF	1,435	1,533	1,622	
	Pneumatic height	03TC2048T18BL	2,037	2,136	2,225	
	Pneumatic + GF Nesting	03TC2048T18BLGF	2,614	2,712	2,801	
	Battery electric height	03TC2048T18BEH	3,045	3,143	3,232	
	Battery + GF Nesting	03TC2048T18BEHGF	3,709	3,808	3,897	
20 x 60	Static	03TC2060T18	886	996	1,105	
	G-Flip Nesting	03TC2060T18GF	1,463	1,573	1,682	
	Pneumatic height	03TC2060T18BL	2,073	2,183	2,292	
	Pneumatic + GF Nesting	03TC2060T18BLGF	2,650	2,759	2,869	
	Battery electric height	03TC2060T18BEH	3,073	3,182	3,292	
	Battery + GF Nesting	03TC2060T18BEHGF	3,737	3,847	3,956	
20 x 72	Static	03TC2072T18	938	1,069	1,191	
	G-Flip Nesting	03TC2072T18GF	1,584	1,714	1,837	
	Pneumatic height	03TC2072T18BL	2,202	2,332	2,455	
	Pneumatic + GF Nesting	03TC2072T18BLGF	2,778	2,909	3,031	
	Battery electric height	03TC2072T18BEH	3,194	3,324	3,447	
	Battery + GF Nesting	03TC2072T18BEHGF	3,858	3,989	4,111	
24 x 48	Static	03TC2448T22	874	972	1,071	
	G-Flip Nesting	03TC2448T22GF	1,450	1,549	1,647	
	Pneumatic height	03TC2448T22BL	2,051	2,149	2,248	
	Pneumatic + GF Nesting	03TC2448T22BLGF	2,627	2,726	2,825	
	Battery electric height	03TC2448T22BEH	3,060	3,159	3,257	
	Battery + GF Nesting	03TC2448T22BEHGF	3,599	3,698	3,796	
24 x 60	Static	03TC2460T22	901	1,011	1,130	
	G-Flip Nesting	03TC2460T22GF	1,478	1,588	1,707	
	Pneumatic height	03TC2460T22BL	2,085	2,195	2,314	
	Pneumatic + GF Nesting	03TC2460T22BLGF	2,662	2,772	2,890	
	Battery electric height	03TC2460T22BEH	3,088	3,198	3,317	
	Battery + GF Nesting	03TC2460T22BEHGF	3,627	3,737	3,856	
24 x 72	Static	03TC2472T22	953	1,084	1,216	
	G-Flip Nesting	03TC2472T22GF	1,599	1,730	1,862	
	Pneumatic height	03TC2472T22BL	2,229	2,360	2,492	
	Pneumatic + GF Nesting	03TC2472T22BLGF	2,806	2,937	3,069	
	Battery electric height	03TC2472T22BEH	3,209	3,340	3,472	
	Battery + GF Nesting	03TC2472T22BEHGF	3,748	3,879	4,011	

For Trig series table options, please reference pages 70-71.

Rectangular with T-bases	Top Size	Base	Model Number	3P	3K	3W
     <p>G-Flip Nesting Pneumatic Height Adjustable Battery Height Adjustable</p>	30 x 48	Static	03TC3048T26	\$ 948	\$ 1,070	\$ 1,165
		G-Flip Nesting	03TC3048T26GF	1,525	1,647	1,742
		Pneumatic height	03TC3048T26BL	2,110	2,232	2,327
		Pneumatic + GF Nesting	03TC3048T26BLGF	2,686	2,809	2,904
		Battery electric height	03TC3048T26BEH	3,136	3,258	3,354
		Battery + GF Nesting	03TC3048T26BEHGF	3,675	3,797	3,893
   <p>G-Flip Nesting Pneumatic Height Adjustable Battery Height Adjustable</p>	30 x 60	Static	03TC3060T26	971	1,103	1,220
		G-Flip Nesting	03TC3060T26GF	1,588	1,719	1,836
		Pneumatic height	03TC3060T26BL	2,162	2,294	2,411
		Pneumatic + GF Nesting	03TC3060T26BLGF	2,739	2,871	2,988
		Battery electric height	03TC3060T26BEH	3,159	3,291	3,408
		Battery + GF Nesting	03TC3060T26BEHGF	3,698	3,830	3,947
   <p>G-Flip Nesting Pneumatic Height Adjustable Battery Height Adjustable</p>	30 x 72	Static	03TC3072T26	1,029	1,184	1,312
		G-Flip Nesting	03TC3072T26GF	1,675	1,830	1,958
		Pneumatic height	03TC3072T26BL	2,290	2,445	2,573
		Pneumatic + GF Nesting	03TC3072T26BLGF	2,867	3,021	3,150
		Battery electric height	03TC3072T26BEH	3,287	3,442	3,570
		Battery + GF Nesting	03TC3072T26BEHGF	3,826	3,981	4,109
   <p>G-Flip Nesting Pneumatic Height Adjustable Battery Height Adjustable</p>	36 x 48	Static	03TC3648T26	1,007	1,152	1,244
		G-Flip Nesting	03TC3648T26GF	1,458	1,604	1,696
		Battery electric height	03TC3648T26BEH	3,195	3,341	3,433
		Battery + GF Nesting	03TC3648T26BEHGF	3,734	3,880	3,972
   <p>G-Flip Nesting Pneumatic Height Adjustable Battery Height Adjustable</p>	36 x 60	Static	03TC3660T26	1,096	1,277	1,371
		G-Flip Nesting	03TC3660T26GF	1,673	1,854	1,948
		Battery electric height	03TC3660T26BEH	3,284	3,466	3,559
		Battery + GF Nesting	03TC3660T26BEHGF	3,823	4,005	4,098
   <p>G-Flip Nesting Pneumatic Height Adjustable Battery Height Adjustable</p>	36 x 72	Static	03TC3672T26	1,152	1,356	1,462
		G-Flip Nesting	03TC3672T26GF	1,798	2,002	2,108
		Battery electric height	03TC3672T26BEH	3,409	3,613	3,719
		Battery + GF Nesting	03TC3672T26BEHGF	3,948	4,152	4,258

Rectangular w/ Single Column U-bases	Top Size	Base	Model Number	3P	3K	3W
   <p>Pneumatic Height Adjustable</p>	24 x 42	Static	03TC2442U2236	\$ 1,000	\$ 1,098	\$ 1,182
		Pneumatic height	03TC2442U2236BL	1,828	1,927	2,011
 <p>Pneumatic Height Adjustable</p>	30 x 42	Static	03TC3042U2636	1,074	1,196	1,277
		Pneumatic height	03TC3042U2636BL	1,907	2,029	2,110
 <p>Pneumatic Height Adjustable</p>	36 x 42	Static	03TC3642U2636	1,133	1,279	1,356
		Pneumatic height	03TC3642U2636BL	1,966	2,112	2,189

For Trig series table options, please reference pages 70-71.

Top Size	Base	Model Number	3P	3K	3W	Rectangular w/ Double Column U-bases
24 x 48	Static	03TC2448U2242	\$ 1,196	\$ 1,295	\$ 1,393	
	Pneumatic height	03TC2448U2242BL	2,371	2,469	2,568	
24 x 60	Static	03TC2460U2242	1,224	1,334	1,453	
	Pneumatic height	03TC2460U2242BL	2,399	2,508	2,627	
24 x 72	Static	03TC2472U2242	1,276	1,407	1,539	
	Pneumatic height	03TC2472U2242BL	2,451	2,581	2,713	
30 x 48	Static	03TC3048U2642	1,272	1,394	1,490	
	Pneumatic height	03TC3048U2642BL	2,448	2,570	2,666	
30 x 60	Static	03TC3060U2642	1,295	1,427	1,544	
	Pneumatic height	03TC3060U2642BL	2,471	2,603	2,720	
30 x 72	Static	03TC3072U2642	1,354	1,509	1,637	
	Pneumatic height	03TC3072U2642BL	2,530	2,685	2,813	
36 x 48	Static	03TC3648U2642	1,331	1,477	1,569	
	Pneumatic height	03TC3648U2642BL	2,507	2,653	2,745	
36 x 60	Static	03TC3660U2642	1,420	1,602	1,696	
	Pneumatic height	03TC3660U2642BL	2,596	2,777	2,871	
36 x 72	Static	03TC3672U2642	1,476	1,680	1,786	
	Pneumatic height	03TC3672U2642BL	2,652	2,856	2,962	

Top Size	Base	Model Number	3P	3K	3W	Square with X-bases
24 x 24	Static	03SQ2424X22	\$ 679	\$ 730	\$ 807	
	Pneumatic height	03SQ2424X22BL	757	835	921	
36 x 36	Static	03SQ3636X32	856	966	1,056	
	Pneumatic height	03SQ3636X32BL	1,388	1,498	1,588	
42 x 42	Static	03SQ4242X36	952	1,101	1,191	
	Pneumatic height	03SQ4242X36BL	1,484	1,633	1,723	

Top Size	Base	Model Number	3P	3K	3W	Round with X-bases
24 x 24	Static	03RD24X22	\$ 721	\$ 788	\$ 828	
	Pneumatic height	03RD24X22BL	823	927	962	
36 x 36	Static	03RD36X32	937	1,079	1,108	
	Pneumatic height	03RD36X32BL	1,469	1,611	1,640	
42 x 42	Static	03RD42X32	1,065	1,259	1,272	
	Pneumatic height	03RD42X32BL	1,597	1,791	1,803	

For Trig series table options, please reference pages 70-71.